

STAINLESS STEEL MESH SECURITY SYSTEM

316 marine grade stainless steel mesh



SCREENGUARD® is designed for the Australian climate and is suitable for all windows and doors.

The SCREENGUARD® stainless steel mesh security system was designed to protect your view and it does just that.

SCREENGUARD® patented systems protect beautifully.

No longer do you need to look at ugly grills, bars or similar obstructions that spoil your view. Take advantage of woven stainless steel mesh protection and enjoy the finest in security screens.

SCREENGUARD® PRODUCT OPTIONS:


- Hinged Door
- Sliding Door
- Multi-fold Door
- Fixed window
- Fire Escape Window System
- Patio Enclosure

SCREENGUARD® DESIGN HELPING TO KEEP YOU SAFE


SCREENGUARD® aluminium frames are leading the way by using T6 grade, high tensile extruded aluminium, this ensures strength and quality.

Only marine grade 316 stainless steel is used in SCREENGUARD® security products. The anti corrosive stainless steel wire mesh is coated with a UV protected coating using advanced processes to ensure clear, long lasting looks.

Specially engineered PVC strips insulate the metal of the frame and security screen and contribute to the sleek overall appearance of SCREENGUARD® products. PVC strips creates a neat one way lock security seal as well as insulating the opposite side of the frame.



SCREENGUARD®'s patented 3 point internal rib design gives an additional resistance against mesh removal by an intruder.



FIRE ESCAPE WINDOW SYSTEM

Safe-Out fire exit screens are integrated with the SCREENGUARD® system for quick and easy escape in case of a house fire or other emergency.

A simple and fast latching system enables you to only open from the inside.

The system provides you and your family extra peace of mind.

SCREENGUARD® PRODUCT TESTING


Testing: SCREENGUARD® patented products have been tested and passed the latest rigid Australian Standards. Testing was carried out by an NATA registered independent laboratory.

METHOD OF TESTING

AS5039/5041: These tests are designed to stimulate an intense attack using force to gain entry through your security door or window.


- Dynamic Impact Test
- Anti-Jemmy Test
- Knife Shear Test
- Pull Test
- Probe Test







Bush fire testing in process



WARRANTY

SCREENGUARD® product warranty is for 10 years from the date of product installation. This warranty is to the original purchaser providing always that the product care and maintenance recommendations along with the warranty conditions have been complied with during that period.

CARE & MAINTENANCE

Your SCREENGUARD® Security System will require regular maintenance to remove contaminants caused by pollution, industry, salt and climatic conditions.

It is recommended to use a soft bristled brush or non-abrasive cloth with warm potable water and a neutral detergent, then rinse with potable water.

Abrasive cleaners and harsh detergents are not recommended as these can scratch or damage the surface area.

*Refer to SCREENGUARD® Warranty Card for full details.

SCREENGUARD® is constructed uniquely to your sizes by skilled fabricators.

Contact your fabricator:



