


HEAVY DVA MESH

SECURITY SCREEN SYSTEM



Darley's Heavy DVA Mesh is an aluminium system stringently tested to comply with Australian Standards AS5039 and AS5041





PRODUCT FEATURES

- Compliant with Australia standards AS5039 and AS5041
- Restricted vision for privacy
- Excellent airflow and ventilation
- Insect and vermin resistant
- Resistant to damage caused by household pets
- Easy to clean and maintain – corrosion resistant
- Affordable security system for your home
- Easy to fabricate and install

SYSTEM APPLICATIONS



| |
|-------------------------|
| Hinged Security Doors |
| Sliding Security Doors |
| Security Window Screens |
| Patio Enclosures |
| Privacy Screens |
| Decorative Wall Panels |
| Sun Screens |




AUSTRALIAN STANDARDS









Heavy DVA Mesh hinged and sliding door systems are fully tested and meet the requirements of Australian standards AS5039 and AS5041, including the following:

- ✓ Dynamic Impact test
- ✓ Pull test
- ✓ Jimmy test
- ✓ Knife Shear test
- ✓ Probe test

SYSTEM COMPONENTS




For AS5039 compliance, some of the components required include:

| Product Code | Description | Lgth | Loc. | |
|--------------|---|-------|------------------|---|
| DF001 | Standard Security Door Frame (7mm)  2650,2651,2652 | 6.0m | N V W |  |
| | | 6.3m | Q | |
| DF007 | Frame Cover To Suit DF001 | 3.1m | N Q V W |  |
| WF001 | Security Window Frame 11mm  2660 <i>* Testing as per AS5039 coming soon.</i> | 6.0m | N Q V W |  |
| DF013 | 3.0mm Heavy DVA Perforated Sheet Fixing Bead  4R-D53AS | 3.10m | N Q V W |  |
| 4R-D53AS-MF | Rivet AS-53 Dome Head | | N Q V W |  |

For a full list of AS5039 components please contact your Account Manager.

Mesh and bead compatible with a variety of other framing options.

HEAVY DVA ALUMINIUM MESH - BLACK

| Code | Size(mm) | Loc. | |
|-------------|----------------|------|---|
| HDVA - 7520 | 750 x 2000 mm | NVW |  |
| HDVA - 7524 | 750 x 2400 mm | NVW | |
| HDVA - 9020 | 900 x 2000 mm | NVW | |
| HDVA - 9024 | 900 x 2400 mm | NVW | |
| HDVA - 1220 | 1200 x 2000 mm | NVW | |
| HDVA - 1224 | 1200 x 2400 mm | NVW | |

Please check with your local branch for stock and colour availability.



CARE AND MAINTENANCE

Your HDVA Security system will require regular cleaning and maintenance. We recommend using a soft bristled brush or non-abrasive cloth with warm water and a neutral detergent to clean your HDVA, then rinse with warm water. Abrasive cleaners and harsh detergents are not recommended as these can scratch or damage the surface area. Cleaning should be done at least once every three months or every month in industrial or coastal areas.

WARRANTY

A 12 month film integrity warranty applies from the date of installation (subject to care & maintenance). Darley's Heavy DVA Mesh is an Aluminium system stringently tested to comply with Australian Standards AS5039 and AS5041.

SYDNEY HEAD OFFICE

8 Tyrone Place, Erskine Park NSW 2759
Tel: (02) 8887 2888
Fax: (02) 9834 3244
Email: sales@darleyaluminium.com.au

BRISBANE

29 Access Avenue, Yatala QLD 4207
Tel: (07) 3287 1888
Fax: (07) 3287 2088
Email: salesqld@darleyaluminium.com.au

MELBOURNE

10 Bridge Road, Keysborough VIC 3173
Tel: (03) 9238 3888
Fax: (03) 9768 7288
Email: salesvic@darleyaluminium.com.au

PERTH

36 Armstrong Road, Hope Valley WA 6165
Tel: (08) 9437 2999
Fax: (08) 9437 1024
Email: saleswa@darleyaluminium.com.au

